


WALL TILES
300x450mm

Glossy



WALL TILES

300x450mm

Glossy




7101-L




7101-L




7101-HL-1




7101-HL-2



7101-D



7101-D



7101-F




7101-F

WALL TILES

300x450mm

Glossy



7103-L



7103-HL-1



7103-D



7103-F



WALL TILES

300x450mm

Glossy



7103-L



7103-L



7103-HL-2



7103-HL-3



7103-D



7103-D



7103-F



7103-F

WALL TILES

300x450mm

Glossy



7104-L



7104-HL-1



7104-D



7104-F




7105-L



7105-HL-1



7105-D




7105-F

WALL TILES

300x450mm

Glossy



7106-L



7106-HL-1



7106-D



7106-F



WALL TILES

300x450mm

Glossy



7107-L



7107-HL-1



7107-D



7107-F



7109-L



7109-HL-1



7109-D



7109-F

WALL TILES

300x450mm

Glossy



7108-L



7108-L




7108-HL-1



7108-HL-3




7108-D



7108-D



7108-F



7108-F

WALL TILES

300x450mm

Glossy



7111-L



7111-L



7111-HL-1



7111-HL-2



7111-D



7111-D



7111-F



7111-F


WALL TILES

300x450mm

Glossy



7112-L



7112-L



7112-HL-1




7112-HL-2



7112-D



7112-D



7112-F




7112-F


WALL TILES

300x450mm


Glossy



7113-L



7113-HL-1



7113-D



7113-F



WALL TILES

300x450mm

Glossy



7113-L



7113-HL-3




7113-D



7113-F




7113-L



7113-HL-4



7113-D



7113-F

WALL TILES

300x450mm

Glossy



7114-L



7114-HL-2




7114-D



7114-F



7115-L



7115-HL-1



7115-D



7115-F

WALL TILES

300x450mm

Glossy



7115-L



7115-HL-2



7115-D



7115-F



WALL TILES

300x450mm

Glossy



7115-L



7115-HL-3



7115-D



7115-F



7115-L



7115-HL-4



7115-D



7115-F

WALL TILES

300x450mm

Glossy



7116-L



7116-HL-2



7116-D



7116-F




WALL TILES

300x450mm

Glossy



7117-L



7117-HL-1



7117-D



7117-F



7117-L



7117-HL-2



7117-D



7117-F

WALL TILES

300x450mm

Glossy



7118-L



7118-HL-2



7118-D



7118-F



Technical Specification

CHARACTERISTICS	REQUIRMENT AS PER ISO-13006/EN14411 GROUP BIa	OUR VALUE	ISO / EN TESTING METHOD
DIMENSION AND SURFACE QUALITY			
Deviation in length & width	(+-0.5%)	(+-0.3%)	ISO- 10545- 2
Deviation in thickness	(+-5.0%)	(+-4.0%)	ISO- 10545- 2
Straightness in side	(+-0.5%)	(+-0.1%)	ISO- 10545- 2
Rectangularity	(+-0.5%)	(+-0.1%)	ISO- 10545- 2
Surface flatness	(+-0.5%)	(+-0.2%)	ISO- 10545- 2
Glossiness	MIN 90%	Pass	Glossometer
STRUCTURAL PROPERTIES			
Water absorption	<0.50%	<0.05%	ISO- 10545- 3
MESSIVE MECHANICAL PROPERTIES			
Modulus of repture	MIN. 35N/mm2	MIN. 35N/mm2	ISO- 10545- 4
Breaking strength	MIN. 1300N	MIN. 2000N	ISO- 10545- 4
Impact resistance	As per mfg.	MIN. 0.55	ISO- 10545- 5
SURFACE MECHANICAL PROPERTIES			
Surface abrasion Resistance	MIN. class -2	MIN. Class -3	ISO- 10545- 7
Moh's hardness	MIN. 5	MIN. 6	En101
CHEMICAL PROPERTIES			
Frost Resistance	Requiered	Pass	ISO- 10545- 12
Household chemicals Resistance	MIN. class AA	Pass	ISO- 10545- 13
Stain Resistance	Resistant	Resistant	ISO- 10545- 14
THERMAL PROPERTIES			
Thermal shock Resistance	10 Cycle	Pass	ISO- 10545- 9
Thermal expansion (COE)	MAX.9.0x10.6	MAX.6.5x10.6	ISO- 10545- 8
Moisture expantion	Nill	Nill	ISO- 10545- 10