




WALL TILES

300x450mm

Glossy



WALL TILES
300x450mm

Glossy



Vision & Mission


- Being the best by providing outstanding quality of product and customer support.
- Continue expanding operations to reach every corner of the world.
- Provide better quality Digital Wall Tiles at affordable price
- Improving lifestyles of our customers by providing innovative products & services
- Bring the inspirational and innovating design for home & office wall space

technology

WALL TILES

300x450mm

Glossy



HIGH
DEFINITION
PRINTING



DIGITAL
PRINTING
TECHNOLOGY



QUALITY
ASSURED
COMPANY




AN
ISO 9001:2015
COMPANY

WALL TILES

300x450mm



Glossy



WHITE




BLACK



WALL TILES

300x450mm



Glossy



IVORY



BLUE




WALL TILES

300x450mm



Glossy



RED



YELLOW



WALL TILES

300x450mm



Glossy



RED-BROWN



ORANGE



WALL TILES

300x450mm



Glossy



GREEN



MAGENTA



WALL TILES

300x450mm



Glossy



BURGUNDY



MINT GREEN



Technical Specification

CHARACTERISTICS	REQUIRMENT AS PER ISO-13006/EN14411 GROUP BIa	OUR VALUE	ISO / EN TESTING METHOD
DIMENSION AND SURFACE QUALITY			
Deviation in length & width	(+-0.5%)	(+-0.3%)	ISO- 10545- 2
Deviation in thickness	(+-5.0%)	(+-4.0%)	ISO- 10545- 2
Straightness in side	(+-0.5%)	(+-0.1%)	ISO- 10545- 2
Rectangularity	(+-0.5%)	(+-0.1%)	ISO- 10545- 2
Surface flatness	(+-0.5%)	(+-0.2%)	ISO- 10545- 2
Glossiness	MIN 90%	Pass	Glossometer
STRUCTURAL PROPERTIES			
Water absorption	<0.50%	<0.05%	ISO- 10545- 3
MESSIVE MECHANICAL PROPERTIES			
Modulus of repture	MIN. 35N/mm2	MIN. 35N/mm2	ISO- 10545- 4
Breaking strength	MIN. 1300N	MIN. 2000N	ISO- 10545- 4
Impact resistance	As per mfg.	MIN. 0.55	ISO- 10545- 5
SURFACE MECHANICAL PROPERTIES			
Surface abrasion Resistance	MIN. class -2	MIN. Class -3	ISO- 10545- 7
Moh's hardness	MIN. 5	MIN. 6	En101
CHEMICAL PROPERTIES			
Frost Resistance	Requiered	Pass	ISO- 10545- 12
Household chemicals Resistance	MIN. class AA	Pass	ISO- 10545- 13
Stain Resistance	Resistant	Resistant	ISO- 10545- 14
THERMAL PROPERTIES			
Thermal shock Resistance	10 Cycle	Pass	ISO- 10545- 9
Thermal expansion (COE)	MAX.9.0x10.6	MAX.6.5x10.6	ISO- 10545- 8
Moisture expantion	Nill	Nill	ISO- 10545- 10